

PROFI electric projection screen

Description 2x3 Art. No: **EEP**

Characteristics: Projection screen, electric drive, easy to mount on a wall or under the ceiling. Matt White surface with black belt around increasing the contrast of the image. The winding drive is very quiet. The canvas is wound into the special case which protects the screen against damage, dust and other unwelcome factors. Operated with a remote control effective at 20 m range. The angle of view is wide what facilitates use in premises where the some of the viewers must watch the show at high angles. The top metal case makes the structure very durable. Voltage 230V / 50 Hz.

Accessories: remote control, assembly elements.

Warranty: 2 years.



PROFI electric projection screen

Format 4:3

2x3 Art. No		EEP1014/43	EEP1216/43	EEP1419/43	EEP1723/43
Dimensions [cm]	total	153×114	171×128	203×153	244×183
	workspace A×B	147×108	165×122	195×145	236×175
Diagonal C [cm] (cal)		190 (75")	214 (84")	254 (100")	304,8 (120")
Black border [cm]		3		4	
Side view [cm]		9,4×9,4			
Surface		PCV (Matt White)			
Remote control range		up to 20 m			
Packing dimensions [cm]		204×13,8×14,3	222×13,8×14,3	254×13,8×14,3	295×13,8×14,3
Weight [kg]		8,0	9,0	10,0	12,0
Warranty		2 years			
Parameters of the surface	Brightness scale	1,0-1,2 (DIN 19045)			
	Thickness [mm]	0,35			
	Front side	Matt White			
	Back side	black			
	Gain factor	1,0			
	View angle	150°			

Format 1:1

2x3 Art. No		EEP1818R	EEP2020R	EEP2424R	EEP3030R
Dimensions [cm]	total	180×180	203×203	244×244	300×300
	workspace A×B	174×174	195×195	236×236	296×296
Diagonal C [cm] (cal)		254 (100")	287 (113")	345 (135")	424 (167")
Black border [cm]		3	4		
Side view [cm]		9,4×9,4			
Surface		PCV (Matt White)			
Remote control range		up to 20 m			
Packing dimensions [cm]		231×13,8×14,3	254×13,8×14,3	295×13,8×14,3	351×13,8×14,3
Weight [kg]		10,0	11,0	12,0	13,0
Warranty		2 years			
Parameters of the surface	Brightness scale	1,0-1,2 (DIN 19045)			
	Thickness [mm]	0,35			
	Front side	Matt White			
	Back side	black			
	Gain factor	1,0			
	Viewing angle	150°			

2x3 S.A.

73-231 Krzęcin, ul. Słoneczna 3, Polska


[i]: 801 23 00 23

[t]: +48 95 765 3848 [f]: +48 95 765 3850

[e]: info@2x3.pl [w]: www.2x3.eu



innovations in visual communication



2x3 S.A.

73-231 Krzęcin, ul. Słoneczna 3, Polska

[i]: 801 23 00 23

[t]: +48 95 765 3848 [f]: +48 95 765 3850

[e]: info@2x3.pl [w]: www.2x3.eu



innovations in visual communication